



# Qualitative modeling of gene regulatory networks

Hidde de Jong  
IBIS  
INRIA Grenoble – Rhône-Alpes  
Hidde.de-Jong@inria.fr

November 10, 2021

# INRIA Grenoble - Rhône-Alpes and IBIS



- IBIS: systems biology group at INRIA/Université Joseph Fourier/CNRS
  - Analysis of bacterial regulatory networks by means of models and experiments
  - Biologists, computer scientists, mathematicians, physicists, ...

<http://team.inria.fr/ibis>




# Overview

- Part 1. Systems biology and kinetic modeling
- Part 2. Metabolic network modeling
- Part 3. Gene regulatory network modeling
  - Quantitative modeling of gene regulatory networks
  - **Qualitative modeling of gene regulatory networks**
  - Stochastic modeling of gene regulatory networks
  - Practical on integrated models of bacterial growth (Matlab)

# Gene regulatory networks

- Focus on **subsystems** that can be studied in isolation due to **modular structure** of reaction networks
  - Time-scale hierarchies
  - Connectivity structure
- **Gene regulatory networks**
  - Genes, proteins, and regulatory interactions
  - Reactions involved in transcription and translation and their regulation
  - Time-scale: min (mRNA) to h (proteins)



Kotte et al. (2010), *Mol. Syst. Biol.*, 6: 355

# Modeling of gene regulatory networks

- Well-established theory for modeling of gene regulatory networks using ordinary differential equation (ODE) models

Bolouri (2008), *Computational Modeling of Gene Regulatory Networks*, Imperial College Press

Polynikis *et al.* (2009), *J. Theor. Biol.*, 261(4):511-30

- Practical problems encountered by modelers:
  - Knowledge on molecular mechanisms rare
  - Quantitative information on kinetic parameters and molecular concentrations absent
  - Large models

# Qualitative modeling and simulation

- Intuition: essential properties of network dynamics **robust** against reasonable model simplifications
- **Qualitative** modeling and simulation of large and complex gene regulatory networks using **simplified ODE models**

de Jong, Gouzé *et al.* (2004), *Bull. Math. Biol.*, 66(2):301-40

- Close proximity with **discrete, logical models** of gene regulation

Thomas and d'Ari (1990), *Biological Feedback*, CRC Press



Kauffman (1993), *The Origins of Order*, Oxford University Press

# Ordinary differential equation models

- Gene regulatory networks modeled by ODE models using **sigmoid functions** to describe regulatory interactions

$$\dot{x}_a = \kappa_a h(x_a, \theta_{a2}, n) h(x_b, \theta_b, n) - \gamma_a x_a$$

$$\dot{x}_b = \kappa_b h(x_a, \theta_{a1}, n) - \gamma_b x_b$$



$x$  : protein concentration  
 $\theta$  : threshold concentration  
 $\kappa, \gamma$  : rate constants  
 $n$  : steepness parameter



- Expressions of sigmoid functions account for **combinatorial control** of gene expression (AND, OR, NOR, ...)

# PL differential equation models

- ODE models approximated by means of **step functions** to describe regulatory interactions

$$\dot{x}_a = \kappa_a s^-(x_a, \theta_{a2}) s^-(x_b, \theta_b) - \gamma_a x_a$$

$$\dot{x}_b = \kappa_b s^-(x_a, \theta_{a1}) - \gamma_b x_b$$



$x$  : protein concentration  
 $\theta$  : threshold concentration  
 $\kappa, \gamma$  : rate constants

- Piecewise-linear (PL)DE models of gene regulatory networks


Glass and Kauffman (1973), *J. Theor. Biol.*, 39(1):103-29



# Mathematical analysis of PL models

- Analysis of local dynamics of PL models

Monotone convergence towards **focal point** in regions separated by thresholds



$$\dot{x}_a = \kappa_a - \gamma_a x_a$$

$$\dot{x}_b = \kappa_b - \gamma_b x_b$$

$$\dot{x}_a = \kappa_a s^-(x_a, \theta_{a2}) s^-(x_b, \theta_b) - \gamma_a x_a$$


$$\dot{x}_b = \kappa_b s^-(x_a, \theta_{a1}) - \gamma_b x_b$$

Glass and Kauffman (1973), *J. Theor. Biol.*, 39(1):103-29

# Mathematical analysis of PL models

- Analysis of local dynamics of PL models

Monotone convergence towards **focal point** in regions separated by thresholds



$$\dot{x}_a = \kappa_a - \gamma_a x_a$$

$$\dot{x}_b = -\gamma_b x_b$$

$$\dot{x}_a = \kappa_a s^-(x_a, \theta_{a2}) s^-(x_b, \theta_b) - \gamma_a x_a$$


$$\dot{x}_b = \kappa_b s^-(x_a, \theta_{a1}) - \gamma_b x_b$$

Glass and Kauffman (1973), *J. Theor. Biol.*, 39(1):103-29

# Mathematical analysis of PL models

- Analysis of local dynamics of PL models

Instantaneous crossing of regions located on thresholds, or ...




$$\dot{x}_a = \kappa_a s^-(x_a, \theta_{a2}) s^-(x_b, \theta_b) - \gamma_a x_a$$

$$\dot{x}_b = \kappa_b s^-(x_a, \theta_{a1}) - \gamma_b x_b$$

# Mathematical analysis of PL models

- Analysis of local dynamics of PL models
  - ... quasi-monotone convergence towards **focal sets** located on threshold hyperplanes



$$\dot{x}_a = \kappa_a s^-(x_a, \theta_{a2}) s^-(x_b, \theta_b) - \gamma_a x_a$$



$$\dot{x}_b = \kappa_b s^-(x_a, \theta_{a1}) - \gamma_b x_b$$

- Extension of PL differential **equations** to differential **inclusions** using Filippov approach

Gouzé and Sari (2002), *Dyn. Syst.*, 17(4):299-316


# Qualitative analysis of PL models

- Analysis of global dynamics obtained by piecing together local dynamics in regions  
PL approximation preserves bistability of cross-inhibition network



# Simple oscillator network

- Question: write out the PLDE model for a simple oscillator network



- Question: perform phase space analysis of PLDE model


Polynikis *et al.* (2009), *J. Theor. Biol.*, 261:511-530

# Simple oscillator network

- Question: write out the PLDE model for a simple oscillator network


$$\dot{X}_a = K_a S^+(x_b, \theta_b) - \gamma_a X_a$$

$$\dot{X}_b = K_b S^-(x_a, \theta_a) - \gamma_b X_b$$




$$\frac{K_a}{\gamma_a} > \theta_a$$

$$\frac{K_b}{\gamma_b} > \theta_b$$





# Simple oscillator network

- Question: perform phase space analysis of PLDE model



$$D': \begin{aligned} \dot{x}_a &= -\gamma_a x_a \\ \dot{x}_b &= K_b - \gamma_b x_b \end{aligned}$$






# Qualitative analysis of PL models


- State space can be partitioned into regions with **unique** derivative sign pattern
- **Qualitative abstraction** yields state transition graph that provides discrete picture of continuous dynamics

Alur et al. (2000), *Proc. IEEE*, 88(7):971-84





de Jong et al. (2004), *Bull. Math. Biol.*, 66(2):301-40

Batt et al. (2008), *Automatica*, 44(4):982-9



# Qualitative analysis of PL models

- State transition graph gives **conservative approximation** of continuous dynamics
  - Every solution of PL model corresponds to path in state transition graph
  - Converse is not necessarily true!
- State transition graph is **invariant** for given inequality constraints on parameters





$$0 < \theta_{a1} < \theta_{a2} < \kappa_a/\gamma_a < max_a$$

$$0 < \theta_b < \kappa_b/\gamma_b < max_b$$

Batt et al. (2008), *Automatica*, 44(4):982-9

# Qualitative analysis of PL models

- State transition graph gives **conservative approximation** of continuous dynamics
  - Every solution of PL model corresponds to path in state transition graph
  - Converse is not necessarily true!
- State transition graph is **invariant** for given inequality constraints on parameters





$$0 < \theta_{a1} < \theta_{a2} < \kappa_a/\gamma_a < max_a$$

$$0 < \theta_b < \kappa_b/\gamma_b < max_b$$

Batt et al. (2008), *Automatica*, 44(4):982-9

# Qualitative analysis of PL models

- State transition graph gives **conservative approximation** of continuous dynamics
  - Every solution of PL model corresponds to path in state transition graph
  - Converse is not necessarily true!
- State transition graph is **invariant** for given inequality constraints on parameters



$$0 < \kappa_a/\gamma_a < \theta_{a1} < \theta_{a2} < \max_a$$

$$0 < \theta_b < \kappa_b/\gamma_b < \max_b$$



Batt et al. (2008), *Automatica*, 44(4):982-9

# Use of state transition graph

- Analysis of **steady states** and **limit cycles** of PL models
  - Attractor states in graph correspond (under certain conditions) to stable steady states of PL model Casey *et al.* (2006), *J. Math Biol.*, 52(1):27-56
  - Attractor cycles in graph correspond (under certain conditions) to stable limit cycles of PL model


Glass and Pasternack (1978), *J. Math Biol.*, 6(2):207-23

Edwards (2000), *Physica D*, 146(1-4):165-99




# Use of state transition graph

- Paths in state transition graph represent predicted sequences of qualitative events
- **Model validation:** comparison of predicted and observed sequences of qualitative events



Consistency?  
Yes




- Need for automated and efficient tools for model validation

# Model validation by model checking

- Dynamic properties of system can be expressed in **temporal logic** (CTL)

There **Exists** a **Future** state where  $\dot{x}_a > 0$  and  $\dot{x}_b > 0$   
and starting from that state,  
there **Exists** a **Future** state where  $\dot{x}_a < 0$  and  $\dot{x}_b > 0$

$$EF(\dot{x}_a > 0 \wedge \dot{x}_b > 0 \wedge EF(\dot{x}_a < 0 \wedge \dot{x}_b > 0))$$




- Model checking** is automated technique for verifying that state transition graph satisfies temporal-logic statements

Efficient computer tools available for model checking

Batt *et al.* (2005), *Bioinformatics*, 21(supp. 1): i19-i28

# Genetic Network Analyzer (GNA)

- Qualitative analysis of PL models implemented in Java: **Genetic Network Analyzer (GNA)**



de Jong *et al.* (2003),  
*Bioinformatics*, 19(3):336-44

<http://www-helix.inrialpes.fr/gna>



# Genetic Network Analyzer (GNA)

- Model-checking technology made available to GNA user

- Develop temporal logics tailored to biological questions


Mateescu *et al.* (2011), *Theor. Comput. Sci.*, 412:2854-83

- Develop temporal-logic patterns for frequently-asked modeling questions

Monteiro *et al.* (2008), *Bioinformatics*, 24(16):i227-33

- Connect GNA to standard model checkers through a web-server connection

Monteiro *et al.*, (2009), *BMC Bioinform.*, 10:450



# Analysis of bacterial regulatory networks

- Applications of qualitative simulation in bacteria:

- Initiation of sporulation in *Bacillus subtilis*


de Jong, Geiselmann *et al.* (2004), *Bull. Math. Biol.*, 66(2):261-300

- Quorum sensing in *Pseudomonas aeruginosa*

Viretta and Fussenegger (2004), *Biotechnol. Prog.*, 20(3):670-8

- Onset of virulence in *Erwinia chrysanthemi*


Sepulchre *et al.* (2007), *J. Theor. Biol.*, 244(2):239-57



# Biodegradation of pollutants by *P. putida*

- Soil bacterium *Pseudomonas putida* mt-2 is archetypal model for environmental biodegradation of aromatic pollutants


TOL network involved in degradation of *m*-xylene to intermediates for central carbon metabolism



Rocha-Silva *et al.* (2011), *Environ. Microbiol.*, 13(9):2389-402

# Role of regulators of TOL network

- **Question:** what is the role of the central, plasmid-encoded regulators XylR and XylS?




- Development of PL model of TOL network

Translation of network diagram into regulatory logic and PL model

Rocha-Silva *et al.* (2011), *BMC Syst. Biol.*, 5:191

# Role of regulators of TOL network

- Validation of model by testing predictions under different perturbation conditions (mutants, metabolic inducers, ...)



- Plasmid-encoded regulators of TOL network act as **regulatory firewall**

Prevent toxic *m*-xylene and its biodegradation intermediates from intervening with indigenous metabolic pathways


Rocha-Silva *et al.* (2011), *BMC Syst. Biol.*, 5:191

# IRMA: synthetic network in yeast

- IRMA: synthetic network in yeast consisting of interlocked positive and negative feedback loops

Networks functions independently from host cell


- Network can be externally controlled by growing cells in glucose or galactose



Cantone *et al.* (2009), *Cell*, 137(1):172-81

# IRMA: synthetic network in yeast


- IRMA proposed as a benchmark for modeling and identification approaches
- IRMA dynamics measured over time in galactose (switch-on) and glucose (switch-off)  
Quantitative RT-PCR
- **Question:** are measured dynamics consistent with constructed network structure?



Cantone *et al.* (2009), *Cell*, 137(1):172-81

# Test of consistency structure-dynamics

- Development of (unparametrized) PL model representing network structure
- Approach to test consistency between network structure and data based on automated parameter constraint search:
  - Generate temporal logic formulae encoding observed network dynamics



Batt et al. (2010), *Bioinformatics*, 26(18):i603-10



# Test of consistency structure-dynamics

- Development of (unparametrized) PL model representing network structure
- Approach to test consistency between network structure and data based on automated parameter constraint search:
  - Generate temporal logic formulae encoding observed network dynamics
  - Test if there are any parametrizations of PL model satisfy temporal logic formulae

Property	Symbolic state space and symbolic parameter space		Symbolic state space and explicit parameter space	
	Existence of parametrization	Parametrization*	Number of parametrizations	Parametrization*
$\phi_1$ : averaged time-series	Yes (49 s)	$\frac{\kappa_{Swi5}^0}{\gamma_{Swi5}} < \theta_{Swi5}^g < \theta_{Swi5}^c < \theta_{Swi5}^a < \frac{\kappa_{Swi5}^0 + \kappa_{Swi5}}{\gamma_{Swi5}}$ $\wedge \frac{\kappa_{Gal80}^0}{\gamma_{Gal80}} < \frac{\kappa_{Gal80}^0 + \kappa_{Gal80}}{\gamma_{Gal80}} < \theta_{Gal80}$	12 (925 s)	$\frac{\kappa_{Swi5}^0}{\gamma_{Swi5}} < \theta_{Swi5}^c < \theta_{Swi5}^a < \frac{\kappa_{Swi5}^0 + \kappa_{Swi5}}{\gamma_{Swi5}} \wedge$ $(\theta_{Gal80} < \frac{\kappa_{Gal80}^0}{\gamma_{Gal80}} \wedge \frac{\kappa_{Swi5}^0}{\gamma_{Swi5}} < \theta_{Swi5}^g < \frac{\kappa_{Swi5}^0 + \kappa_{Swi5}}{\gamma_{Swi5}})$ $\vee \frac{\kappa_{Gal80}^0}{\gamma_{Gal80}} < \theta_{Gal80} < \frac{\kappa_{Gal80}^0 + \kappa_{Gal80}}{\gamma_{Gal80}} \wedge \frac{\kappa_{Swi5}^0}{\gamma_{Swi5}} < \theta_{Swi5}^g$ $\vee \frac{\kappa_{Gal80}^0 + \kappa_{Gal80}}{\gamma_{Gal80}} < \theta_{Gal80}$

\*All parametrizations additionally include  $\kappa_{Cbf1}^1 / \gamma_{Cbf1} < \theta_{Cbf1} < (\kappa_{Cbf1}^1 + \kappa_{Cbf1}^2) / \gamma_{Cbf1} \wedge \kappa_{Gal4}^0 / \gamma_{Gal4} < \theta_{Gal4} < (\kappa_{Gal4}^0 + \kappa_{Gal4}) / \gamma_{Gal4} \wedge \kappa_{Ash1}^0 / \gamma_{Ash1} < \theta_{Ash1} < (\kappa_{Ash1}^0 + \kappa_{Ash1}) / \gamma_{Ash1}$ .

# Test of consistency structure-dynamics

- Development of (unparametrized) PL model representing network structure
- Approach to test consistency between network structure and data based on automated parameter constraint search:
  - Generate temporal logic formulae encoding observed network dynamics
  - Test if there are any parametrizations of PL model satisfy temporal logic formulae
  - Analyze parametrizations for biological plausibility

« Activation threshold of CBF1 by Swi5 higher than activation threshold of ASH1 »: confirmed by independent experimental data

Batt *et al.* (2010), *Bioinformatics*,  
26(18):i603-10

# Test of consistency structure-dynamics

- Development of (unparametrized) PL model representing network structure
- Approach to test consistency between network structure and data based on automated parameter constraint search:
  - Generate temporal logic formulae encoding observed network dynamics
  - Test if there are any parametrizations of PL model satisfy temporal logic formulae
  - Analyze parametrizations for biological plausibility
- Automated approach for testing consistency based on model-checking techniques
  - Symbolic encoding of model, dynamics and properties to make problem feasible



# PL differential equation models

- ODE models approximated by means of **step functions** to describe regulatory interactions

$$\dot{x}_a = \kappa_a s^-(x_a, \theta_{a2}) s^-(x_b, \theta_b) - \gamma_a x_a$$

$$\dot{x}_b = \kappa_b s^-(x_a, \theta_{a1}) - \gamma_b x_b$$

$s^-(x, \theta) \uparrow$



$x$  : protein concentration  
 $\theta$  : threshold concentration  
 $\kappa, \gamma$  : rate constants



- Expressions of step functions account for combinatorial control of gene expression (AND, OR, NOR, ...)

# PL differential equation models

- ODE models approximated by means of **step functions** to describe regulatory interactions

$$\dot{x}_a = \kappa_a s^-(x_b, \theta_b) - \gamma_a x_a$$

$$\dot{x}_b = \kappa_b s^-(x_a, \theta_a) - \gamma_b x_b$$



$x$  : protein concentration  
 $\theta$  : threshold concentration  
 $\kappa, \gamma$  : rate constants

# Boolean models

- **Boolean models** are discrete models of dynamics of gene regulatory networks

Thomas and d'Ari (1990), *Biological Feedback*, CRC Press

Kauffman (1993), *The Origins of Order*, Oxford University Press


Wang et al. (2012), *Phys. Biol.*, 9(5):055001

- Boolean variables discretize state of gene regulatory network

$$X_a \in \{0, 1\}, X_b \in \{0, 1\}$$

$$X_a = (x_a > \theta_a), X_b = (x_b > \theta_b)$$

$$X_a^t, X_b^t, t = 0, 1, 2, \dots$$



# Boolean models

- **Boolean models** are discrete models of dynamics of gene regulatory networks

Thomas and d'Ari (1990), *Biological Feedback*, CRC Press


Kauffman (1993), *The Origins of Order*, Oxford University Press

Wang et al. (2012), *Phys. Biol.*, 9(5):055001

- Boolean variables discretize state of gene regulatory network
- Boolean functions represent control of gene expression


$$X_a^{t+1} = \text{NOT } X_b^t$$

$$X_b^{t+1} = \text{NOT } X_a^t$$



# Analysis of Boolean models



- Boolean models can be analyzed in discrete state space



$$X_a^{t+1} = \text{NOT } X_b^t$$

$$X_b^{t+1} = \text{NOT } X_a^t$$



- Synchronous and asynchrone dynamics






# Analysis of Boolean models

- Dynamics of Boolean models can also be represented in **state transition graph**
  - Different graphs for synchrone and asynchrone dynamics
  - Attractors (states or cycles)



synchrone



asynchrone

# Generalized logical models

- **Generalized logical models** are discrete models of dynamics of gene regulatory networks



Thomas and d'Ari (1990), *Biological Feedback*, CRC Press

Chaouiya *et al.* (2012), *Methods Mol. Biol.*, 804:463-79

- Logical variables discretize state of gene regulatory network

$$X_a \in \{0, 1, 2, \dots\}, X_b \in \{0, 1, 2, \dots\}$$

$$X_a^t, X_b^t, t = 0, 1, 2, \dots$$



# Generalized logical models

- **Generalized logical models** are discrete models of dynamics of gene regulatory networks

Thomas and d'Ari (1990), *Biological Feedback*, CRC Press

Chaouiya *et al.* (2012), *Methods Mol. Biol.*, 804:463-79


- Logical variables discretize state of gene regulatory network
- Boolean functions represent control of gene expression

$$X_a^{t+1} = 2, \text{ if } (X_a^t = 0 \text{ OR } X_a^t = 1) \text{ AND } X_b^t = 0$$

$$X_a^{t+1} = 0, \text{ if } X_a^t = 2 \text{ OR } X_b^t = 1$$

$$X_b^{t+1} = 1, \text{ if } X_a^t = 0$$

$$X_b^{t+1} = 0, \text{ if } X_a^t = 1 \text{ OR } X_a^t = 2$$





# Generalized logical models

- **Generalized logical models** are discrete models of dynamics of gene regulatory networks


Thomas and d'Ari (1990), *Biological Feedback*, CRC Press

Chaouiya *et al.* (2012), *Methods Mol. Biol.*, 804:463-79

- Logical variables discretize state of gene regulatory network
- Boolean functions represent control of gene expression
- Dynamics can be represented by state transition graph
- Close correspondence between discrete abstractions of PLDE models and generalized logical models

# GinSIM


- **GinSIM**: computer tool for logical modeling of regulatory networks



Chaouiya *et al.* (2012), *Methods Mol. Biol.*, 804:463-79

# Development of *Drosophila* embryo


- Development of *Drosophila melanogaster* (fruit fly)



Purves *et al.* (1998), *Life: The Science of Biology*, Sinauer

# Development of *Drosophila* embryo

- Development of *Drosophila melanogaster* (fruit fly)




Purves *et al.* (1998), *Life: The Science of Biology*, Sinauer

Tomer *et al.* (2012), *Nat. Methods*, 9(7):755–63




# Development of *Drosophila* embryo

- Spatiotemporal gene expression patterns during early development of *Drosophila* (fruit fly)



Sanson (2001), *EMBO Rep.*, 2(12):1083–8


# Development of *Drosophila* embryo



- Spatiotemporal gene expression patterns during early development of *Drosophila* (fruit fly)
- Gene classes and their interactions responsible for establishment of gene expression patterns

Schroeder *et al.* (2004), *PLoS Biol.*, 4(2):e271

# Development of *Drosophila* embryo





- Spatiotemporal gene expression patterns during early development of *Drosophila* (fruit fly)
- Gene classes and their interactions responsible for establishment of gene expression patterns
- Complex gene regulatory networks

Carroll (2008), *Cell*, 134(1):25-36

# Model of *Drosophila* segmentation

- Model of network of **segment polarity** genes in early development of *Drosophila*






von Dassow *et al.* (2000), *Nature*, 406(6792): 188-92

# Model of *Drosophila* segmentation

- Model of network of **segment polarity** genes in early development of *Drosophila*

13 ODEs per cell and 48 parameters




von Dassow *et al.* (2000), *Nature*, 406(6792): 188-92



# Logical model of *Drosophila* segmentation

- **Logical model** of segment polarity network: variables take values 0/1 and Boolean functions to update variables



Albert and Othmer (2003), *J. Theor. Biol.*, 223(1):1-18

$hh_i$

$HH_i$

$ptc_i$

$PTC_i$

$PH_i$

$hh_i^{t+1} = EN_i^t$  and not  $CIR_i^t$

$HH_i^{t+1} = hh_i^t$


$ptc_i^t = CIA_i^{t+1}$  and not  $EN_i^t$  and not  $CIR_i^t$

$PTC_i^{t+1} = ptc_i^t$  or ( $PTC_i^t$  and not  $HH_{i-1}^t$  and not  $HH_{i+1}^t$ )

$PH_i^t = PTC_i^t$  and ( $HH_{i-1}^t$  or  $HH_{i+1}^t$ )

# Logical model of *Drosophila* segmentation

- **Logical model** of segment polarity network: variables take values 0/1 and Boolean functions to update variables
- Logical models are based on topology of network only (no parametrization), but are capable of reproducing experimental data: **robustness**



Albert and Othmer (2003), *J. Theor. Biol.*, 223(1):1-18



# Conclusions

- Modeling of genetic regulatory networks in bacteria often hampered by lack of information on parameter values
- Use of coarse-grained discrete or discretized models that provide reasonable approximation of dynamics
- Mathematical methods and computer tools for analysis of qualitative dynamics of discrete models
- Use of discrete models may gain insight into functioning of large and complex networks
- Discrete, coarse-grained models provide first idea of qualitative dynamics that may guide quantitative modeling

**Merci !**



[team.inria.fr/ibis](http://team.inria.fr/ibis)